

Using the Secure Copy command (scp) from the command prompt

There are occasions when you may want to push or pull a file from one machine to another from the command line.

For example, recently I needed to restore a configuration file from a backup machine to a production machine after a disk failure and subsequent software reinstallation.

In the following scenarios, replace the machine1 and machine2 listings with the IP addresses or domain names of your machines.

Scenario 1

The file was located on machine1 and needed to be moved (pushed) to machine2. The command below identifies the file on machine1 and securely copies it to machine2:

```
>root@machine1 /root># scp /etc/aspseek/sites.conf machine2:
```

You will be prompted for the root password of machine2.

When successfully authenticated, the file will be scp'ed into the /root directory of machine2, from which it was easily moved to the proper directory.

Scenario 2:

The file "removecore.sh" was located on machine2 and needed to be moved(pulled) onto machine1:

```
>root@machine1 /root># scp machine2:/root/removecore.sh /root
```

Once again, you will be asked to authenticate with the root password. If successful, the removecore.sh script will be scp'ed to the /root directory of machine1.

```
image:rdf newsfeed //static.linuxhowtos.org/data/rdf.png (null)
|
image:rss newsfeed //static.linuxhowtos.org/data/rss.png (null)
|
image:Atom newsfeed //static.linuxhowtos.org/data/atom.png (null)
- Powered by
image:LeopardCMS //static.linuxhowtos.org/data/leopardcms.png (null)
- Running on
image:Gentoo //static.linuxhowtos.org/data/gentoo.png (null)
-
Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH
image:Valid XHTML1.1 //static.linuxhowtos.org/data/xhtml1.png (null)
:
image:Valid CSS //static.linuxhowtos.org/data/css.png (null)
:
image:buttonmaker //static.linuxhowtos.org/data/buttonmaker.png (null)
```

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display / /status/output.jpg (null)

-->