

Unix manual pages are gathered into several sections. A section is related to a given topic:

- * section 1: user commands that may be started by everyone
- * section 2: system calls, that is, functions provided by the kernel
- * section 3: subroutines, that is, library functions
- * section 4: devices (files in /dev)
- * section 5: file format descriptions, e.g. /etc/passwd
- * section 6: games
- * section 7: miscellaneous
- * section 8: system administration tools that only root can execute
- * section 9: another (Linux specific) place for kernel routine documentation
- * section l: (deprecated) new documentation, that may be moved to a more appropriate section
- * section n: (deprecated) old documentation, that may be kept for a grace period
- * section o: (deprecated) local documentation referring to this particular system

As two different sections can contain two man pages with the same name, we note manuals as follows: man_page(section). Therefore, crontab(5) identifies the crontab manual from the section 5 (to be opposed to crontab(1)).

```
image:rdf newsfeed //static.linuxhowtos.org/data/rdf.png (null)
|
image:rss newsfeed //static.linuxhowtos.org/data/rss.png (null)
|
image:Atom newsfeed //static.linuxhowtos.org/data/atom.png (null)
- Powered by
image:LeopardCMS //static.linuxhowtos.org/data/leopardcms.png (null)
- Running on
image:Gentoo //static.linuxhowtos.org/data/gentoo.png (null)
-
Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH
image:Valid XHTML1.1 //static.linuxhowtos.org/data/xhtml.png (null)
:
image:Valid CSS //static.linuxhowtos.org/data/css.png (null)
:
image:buttonmaker //static.linuxhowtos.org/data/buttonmaker.png (null)
- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -
Time to create this page: ms
<!--
image:system status display /status/output.jpg (null)
-->
bodyloaded();
```