

Renaming Files

Often files need to be converted from uppercase to lowercase. Sometimes this is a side effect of moving from case-insensitive file systems to case-sensitive ones.

Here's a quick shell command that will convert everything in the current directory from uppercase to lowercase.

Code Listing 1

```
for n in *; do mv $n `echo $n | tr '[:upper:]' '[:lower:]'`; done
```

From <http://www.gentoo.org/news/en/gwn/20040510-newsletter.xml>

```
image:rdf newsfeed / //static.linuxhowtos.org/data/rdf.png (null)
|
image:rss newsfeed / //static.linuxhowtos.org/data/rss.png (null)
|
image:Atom newsfeed / //static.linuxhowtos.org/data/atom.png (null)
- Powered by
image:LeopardCMS / //static.linuxhowtos.org/data/leopardcms.png (null)
- Running on
image:Gentoo / //static.linuxhowtos.org/data/gentoo.png (null)
-
Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH
image:Valid XHTML1.1 / //static.linuxhowtos.org/data/xhtml1.png (null)
:
image:Valid CSS / //static.linuxhowtos.org/data/css.png (null)
:
image:buttonmaker / //static.linuxhowtos.org/data/buttonmaker.png (null)
- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -
Time to create this page: ms
<!--
image:system status display / /status/output.jpg (null)
-->
bodyloaded();
```